


Preparations for treating outer skin wounds and process for their manufacture.

Patent Number: EP0103878
Publication date: 1984-03-28
Inventor(s): HUMAN OLTOANYAGTERMELO ES KUTA
Applicant(s):: HUMAN OLTOANYAGTERMELO
Requested Patent:  EP0103878, B1
Application Number: EP19830109239 19830917
Priority Number(s): HU19820002974 19820917
IPC Classification: A61K9/08 ; A61K31/70
EC Classification: A61K31/70, A61K47/10
Equivalents: DE3382087D

Abstract

The preparations are used for treating wounds such as burns, herpes, dermatoses, chemical burns etc. and contain in 100 ml of C2-C4-alkanol solution (preferably ethanol) up to 20 mg of plant tannins (catechol, tannin, gallic acid, digallic acid, pentadigalloylglucose), up to 50 mg of sugars (glucose, fructose, rhamnose, xylose), 0.5 - 6 mg of compounds of the anthocyan and/or flavone type, 0.5 - 6 mg of pectin, up to 6 mg of plant wax and 0.01 - 0.1 mg of essential oils (geraniol, nerol, citronellol, eugenol, linalool). The preparations can contain as additional components 5 - 6 mg of vitamins, trace elements, plant hormones, enzymes with an oxidising action and/or inorganic salts. The preparations are manufactured by dissolving the components, all at once or divided, in the alkanol. The preparations exert on the wounds an analgesic, disinfectant and epithelialisation-promoting action and form on the surface of the wounds a thin film with small, bacterial-impermeable breathing pores of 0.2 μ max.

Data supplied from the esp@cenet database - I2

Preparations for treating outer skin wounds and process for their manufacture.

Patent Number: EP0103878
Publication date: 1984-03-28
Inventor(s): HUMAN OLTOANYAGTERMELO ES KUTA
Applicant(s): HUMAN OLTOANYAGTERMELO
Requested Patent: ☒ EP0103878, B1
Application Number: EP19830109239 19830917
Priority Number(s): HU19820002974 19820917
IPC Classification: A61K9/08 ; A61K31/70
EC Classification: A61K31/70, A61K47/10
Equivalents: DE3382087D

Abstract

The preparations are used for treating wounds such as burns, herpes, dermatoses, chemical burns etc. and contain in 100 ml of C2-C4-alkanol solution (preferably ethanol) up to 20 mg of plant tannins (catechol, tannin, gallic acid, digallic acid, pentadigalloylglucose), up to 50 mg of sugars (glucose, fructose, rhamnose, xylose), 0.5 - 6 mg of compounds of the anthocyan and/or flavone type, 0.5 - 6 mg of pectin, up to 6 mg of plant wax and 0.01 - 0.1 mg of essential oils (geraniol, nerol, citronellol, eugenol, linalool). The preparations can contain as additional components 5 - 6 mg of vitamins, trace elements, plant hormones, enzymes with an oxidising action and/or inorganic salts. The preparations are manufactured by dissolving the components, all at once or divided, in the alkanol. The preparations exert on the wounds an analgesic, disinfectant and epithelialisation-promoting action and form on the surface of the wounds a thin film with small, bacterial-impermeable breathing pores of 0.2 μ m max.

Data supplied from the esp@cenet database - I2

4/19/1

011574546

WPI Acc No: 1997-551027/199751

XRAM Acc No: C97-175952

Biodegradable universal cleaning agents for e.g. cleaning equipment used to make paper, board or pulp - contain ethereal oils, ethoxylated or esterified substances, dipentenes, alcohols, polyphenols, ascorbic acid and carboxylic acids obtained from natural materials

Patent Assignee: CHRIST H (CHRI-I)

Inventor: CHRIST H

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
DE 19617278	A1	19971113	DE 1017278	A	19960430	199751 B

Priority Applications (No Type Date): DE 1017278 A 19960430

Patent Details:

Patent No	Kind	Lan	Pg	Main IPC	Filing Notes
DE 19617278	A1		4	C11D-003/382	

Abstract (Basic): DE 19617278 A

A universal cleaning agent based on natural renewable and biodegradable materials comprises the following components : (A) 0.01-45 wt.% ethereal oil with a flash point greater than 21 deg. C, obtained from citrus fruits and/or terpentine oils and/or rubber ; (B) 0.01-65 wt.% ethoxylated and/or esterified substances obtained from seeds, stones, fruits, twigs, petals, bark or oily plant wood ; (C) 0.5-60 wt.% dipentene with a flash point greater than 21 deg. C ; (D) 0.1-40 wt.% compound of formula $R_2-[CH_2-O]_n-R_1$ (I) ; (E) 0.01-15 wt.% natural renewable polyphenols ; (F) 0.01-15 wt.% of a mixture comprising (f1) 1-99 wt.% ascorbic acid and (f2) 1-99 wt.% compound of formula $R_1-(X(R_3))_n-R_2$ (II) ; and (G) 0.01-95 wt.% water. $R_1 = H$, alkyl or aryl(alkyl) for (I), or carboxyl for (II) ; $R_2 = H$, (aryl)alkyl, alkylalkoxy, cycloalk(en)yl, cycloalkoxy, polyalkoxy or poly(aryl)alkyl for (I), or H or carboxyl for (II) ; $R_3 = H$ or OH ; $X = alk(en)yl$, aryl, arylalk(en)yl, alkylalkoxy or cycloalk(en)yl ; and $n = 0-10$. 1 The preparation of these washing agents is also claimed.

USE - Used for removing resin, tar, oil, ink or chewing gum stains from smooth and/or porous and/or absorbent substrates such as fibres or textile materials, in a corrosion-free manner using water so as to leave no residue behind (claimed). The cleaner can be used for domestic, industrial, sanitary, clinical or automotive applications, eg. for degreasing, paper recycling or cleaning equipment used for making paper, board or pulp.

ADVANTAGE - All the cleaning agent components are non-toxic, readily biodegradable and do not create effluent problems or harm the ozone layer.

Dwg.0/0

Title Terms: BIODEGRADABLE; UNIVERSAL; CLEAN; AGENT; CLEAN; EQUIPMENT; PAPER; BOARD; PULP; CONTAIN; ETHEREAL; OIL; ETHOXYLATION; ESTERIFICATION; SUBSTANCE ; POLY; ASCORBIC; ACID; CARBOXYLIC; ACID; OBTAIN; NATURAL; MATERIAL

Derwent Class: A25; A97; D25; E19; F09

International Patent Class (Main): C11D-003/382

International Patent Class (Additional): C11D-003/08; C11D-003/18; C11D-003/20 ; C11D-003/40

File Segment: CPI

Manual Codes (CPI/A-N): A10-E01; A12-W12B; D11-A03A1; E07-A02C; E10-C04D; E10-C04L; E10-E02D; E10-E04; E10-H01D; E10-H01E; F05-A04

Chemical Fragment Codes (M3):

01 G001 G002 G003 G010 G011 G012 G013 G014 G015 G016 G019 G020 G021 G022
G029 G030 G039 G040 G050 G100 G111 G112 G221 G299 G553 G563 H4 H401

H402 H441 H461 H481 H482 H541 H542 H561 H562 H581 H582 H583 H715 H721
H722 H723 H8 K930 L630 L660 L699 M111 M112 M113 M114 M115 M116 M119
M121 M122 M123 M124 M125 M126 M129 M132 M135 M139 M141 M150 M210 M211
M212 M213 M214 M215 M216 M220 M221 M222 M223 M224 M225 M226 M231 M232
M233 M240 M272 M280 M281 M282 M311 M312 M313 M314 M315 M316 M320 M321
M322 M323 M331 M332 M333 M334 M340 M342 M343 M373 M383 M391 M392 M414
M415 M416 M510 M520 M530 M531 M532 M533 M540 M541 M542 M543 M620 M782
M903 M904 N513 Q020 Q030 Q273 Q323 Q324 Q336 Q461 R023 9751-A1101-M
02 J0 J011 J012 J1 J171 J172 L560 L660 M280 M311 M320 M321 M322 M342 M349
M381 M383 M391 M416 M620 M782 M903 M904 N513 Q020 Q030 Q273 Q323 Q324
Q336 Q461 R023 9751-A1102-M
03 G001 G002 G003 G010 G011 G012 G013 G019 G020 G021 G022 G029 G030 G039
G040 G050 G100 G111 G221 G299 G553 G563 H541 H561 H581 H582 H721 L660
M111 M112 M113 M114 M115 M121 M122 M123 M124 M125 M126 M132 M135 M141
M150 M210 M211 M212 M213 M214 M215 M216 M220 M221 M222 M223 M224 M225
M226 M231 M232 M233 M240 M272 M281 M282 M311 M312 M313 M314 M315 M316
M320 M321 M331 M332 M333 M340 M342 M373 M383 M391 M414 M415 M416 M510
M520 M530 M531 M532 M540 M541 M542 M610 M620 M782 M903 M904 N513 Q020
Q030 Q273 Q323 Q324 Q336 Q461 R023 9751-A1103-M
04 G035 G562 H7 H721 M210 M211 M213 M232 M240 M282 M320 M415 M510 M520
M530 M541 M610 M782 M903 M904 M910 N513 Q020 Q030 Q273 Q323 Q324 Q336
Q461 R023 R01119-M
05 G035 G561 M210 M211 M213 M232 M240 M282 M320 M415 M510 M520 M530 M541
M610 M782 M903 M904 N513 Q020 Q030 Q273 Q323 Q324 Q336 Q461 R023
R11709-M
06 G035 G562 H7 H720 M210 M213 M232 M240 M281 M311 M321 M341 M415 M510
M520 M530 M541 M610 M782 M903 M904 N513 Q020 Q030 Q273 Q323 Q324 Q336
Q461 R023 R19836-M
07 G035 G562 H4 H401 H481 H8 M210 M211 M240 M281 M313 M321 M331 M340 M342
M373 M391 M415 M510 M520 M530 M541 M782 M903 M904 M910 N513 Q020 Q030
Q273 Q323 Q324 Q336 Q461 R023 R00669-M
08 G035 G038 G563 H4 H401 H461 H7 H721 H8 M210 M211 M213 M232 M240 M282
M320 M415 M510 M520 M530 M541 M782 M903 M904 N513 Q020 Q030 Q273 Q323
Q324 Q336 Q461 R023 R15870-M
09 G035 G562 H7 H720 M210 M211 M240 M281 M313 M321 M331 M341 M415 M510
M520 M530 M541 M610 M782 M903 M904 N513 Q020 Q030 Q273 Q323 Q324 Q336
Q461 R023 R08898-M
10 F012 F013 F014 F015 F113 H4 H403 H421 H482 H8 J5 J522 K0 L8 L818 L821
L832 L9 L942 L960 M280 M312 M321 M332 M343 M373 M391 M413 M510 M521
M530 M540 M782 M903 M904 M910 N513 Q020 Q030 Q273 Q323 Q324 Q336 Q461
R023 R00035-M
11 G010 G100 J0 J011 J1 J131 M280 M320 M414 M510 M520 M531 M540 M782 M903
M904 M910 N513 Q020 Q030 Q273 Q323 Q324 Q336 Q461 R023 R00258-M
12 J0 J012 J1 J172 K0 L5 L560 M280 M320 M416 M620 M782 M903 M904 M910 N513
Q020 Q030 Q273 Q323 Q324 Q336 Q461 R023 R01152-M
13 H7 H724 J0 J011 J1 J171 M210 M215 M231 M262 M281 M320 M416 M782 M903
M904 M910 N513 Q020 Q030 Q273 Q323 Q324 Q336 Q461 R023 R00903-M
14 H4 H402 H482 H8 J0 J012 J1 J172 M280 M312 M321 M332 M344 M349 M381 M391
M416 M620 M782 M903 M904 M910 N513 Q020 Q030 Q273 Q323 Q324 Q336 Q461
R023 R00540-M
15 G030 G563 H4 H401 H461 H8 M280 M320 M415 M510 M520 M530 M541 M782 M903
M904 M910 N513 Q020 Q030 Q273 Q323 Q324 Q336 Q461 R023 R00866-M

Polymer Indexing (PS):

<01>

001 018; P0000; K9950

002 018; ND07; N9999 N7283

<02>

001 018; S9999 S1616 S1605; S9999 S1025 S1014; M9999 M2153-R; M9999 M2200;
M9999 M2813; P1887 P0248 P0226 D01 D10 D11 F24*002* 018; S9999 S1616 S1605; S9999 S1025 S1014; P0975-R P0964 F34 D01 D10;
M9999 M2153-R; M9999 M2200; M9999 M2186; M9999 M2813

003 018; B9999 B5094 B4977 B4740; Q9999 Q9110

004 018; ND01; ND09; B9999 B3021 B3010; Q9999 Q7034-R; Q9999 Q7681-R;

Q9999 Q7045 Q7034; B9999 B4488 B4466; B9999 B4477 B4466; N9999 N6439;
 N9999 N5947; Q9999 Q7987-R; Q9999 Q9212-R
 005 018; R01740 G2335 D00 F20 H- O- 6A; A999 A475
 <03>
 001 018; D11 D10 D50 D81; D11 D10 D50; S9999 S1616 S1605; S9999 S1025
 S1014; P0248 P0226 D01 F24; H0260; P0964-R F34 D01; M9999 M2153-R;
 M9999 M2200; H0226
 002 018; B9999 B5094 B4977 B4740; Q9999 Q9110
 003 018; ND01; ND09; B9999 B3021 B3010; Q9999 Q7034-R; Q9999 Q7681-R;
 Q9999 Q7045 Q7034; B9999 B4488 B4466; B9999 B4477 B4466; N9999 N6439;
 N9999 N5947; Q9999 Q7987-R; Q9999 Q9212-R
 004 018; H0226
 005 018; R01740 G2335 D00 F20 H- O- 6A; A999 A475
 <04>
 001 018; S9999 S1616 S1605; S9999 S1025 S1014; P1592-R F77 D01
 002 018; B9999 B5094 B4977 B4740; Q9999 Q9347
 003 018; ND01; ND09; B9999 B3021 B3010; Q9999 Q7034-R; Q9999 Q7681-R;
 Q9999 Q7045 Q7034; B9999 B4488 B4466; B9999 B4477 B4466; N9999 N6439;
 N9999 N5947; Q9999 Q7987-R; Q9999 Q9212-R
 004 018; R01740 G2335 D00 F20 H- O- 6A; A999 A475
 <05>
 001 018; S9999 S1616 S1605; S9999 S1025 S1014; P1445-R F81 Si 4A
 002 018; F26-R F61 F62 F- 7A; S9999 S1616 S1605; S9999 S1025 S1014;
 P0088-R
 003 018; B9999 B3485-R B3372
 004 018; ND01; ND09; B9999 B3021 B3010; Q9999 Q7034-R; Q9999 Q7681-R;
 Q9999 Q7045 Q7034; B9999 B4488 B4466; B9999 B4477 B4466; N9999 N6439;
 N9999 N5947; Q9999 Q7987-R; Q9999 Q9212-R
 005 018; R01740 G2335 D00 F20 H- O- 6A; A999 A475
 <06>
 001 018; H0124-R
 002 018; N9999 N6655-R; N9999 N7283; K9950
 Derwent Registry Numbers: 0035-U; 0258-U; 0540-U; 0669-U; 0866-U; 0903-U;
 1119-U; 1152-U
 Specific Compound Numbers: R01119-M; R11709-M; R19836-M; R00669-M; R15870-M;
 R08898-M; R00035-M; R00258-M; R01152-M; R00903-M; R00540-M; R00866-M
 Generic Compound Numbers: 9751-A1101-M; 9751-A1102-M; 9751-A1103-M

(Dialog® File 351):

4/19/2

003483289

WPI Acc No: 1982-31252E/198216

**Synergistic bactericides for foods and food processing
 equipment - contg. ethanol and organic or inorganic acid or salt**

Patent Assignee: UENO SEIYAKU OYO KENKYUSHO KK (UENS)

Inventor: FUJITA Y; KANAYAMA T; UENO R; YAMAMOTO M

Number of Countries: 007 Number of Patents: 010

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
DE 3138277	A	19820415	DE 3138277	A	19810925	198216 B
FR 2490928	A	19820402				198218
JP 57058876	A	19820408	JP 80133062	A	19800926	198220
GB 2087724	A	19820603	GB 8129003	A	19810925	198222
AU 8175608	A	19831013				198348
GB 2087724	B	19840502				198418

CA 1186218 A 19850430 198522
 US 4647458 A 19870303 US 84581366 A 19840214 198711
 JP 87028664 B 19870622 198728
 DE 3138277 C 19880114 198802
 Priority Applications (No Type Date): JP 80133062 A 19800926; US 84581366 A 19840214

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes
 DE 3138277 A 56

Abstract (Basic): DE 3138277 A

New liq. bactericides for foodstuffs and food-processing machines or appts. contain as active ingredients (A) ethanol and (B) an organic acid or salt and/or an inorganic acid or salt.

Pref. organic acids are lactic, acetic, tartaric, gluconic, citric, ascorbic, maleic, succinic, fumaric, and phytic acids. Pref. inorganic acids are phosphoric, condensed phosphoric, (acidic pyrophosphoric, hexametaphosphoric, ultraphosphoric), hydrochloric sulphuric acid and nitric acids. Pref. salts of the acids are the Na, K, Ca, and Mg salts. Pref. compsns. contain 99.9 to 2.0 wt./vol.% ethanol and 0.1-98.0 wt./vol.% component (B).S The bactericides have very low toxicity and high safety, do not affect food flavour or quality, and are non-injurious to the food-processing environment. Bactericidal activity is high at low concns. so that sterilisation can be effected by contacting for less than 30 seconds.

Title Terms: SYNERGISTIC; BACTERIA; FOOD; FOOD; PROCESS; EQUIPMENT; CONTAIN; ETHANOL; ORGANIC; INORGANIC; ACID; SALT

Derwent Class: D22; E19; P34

International Patent Class (Additional): A01N-031/02; A01N-037/00; A01N-043/08; A01N-057/12; A01N-059/26; A23B-004/00; A23L-003/34; A61L-002/18; C11D-003/48

File Segment: CPI; EngPI

Manual Codes (CPI/A-N): D03-H02; E07-A02; E10-A07; E10-C02; E10-C04E; E10-E04L; E31-B03; E31-F05; E31-H05; E31-K

Chemical Fragment Codes (M3):

01 H4 H401 H481 H8 M210 M212 M272 M281 M320 M416 M620 M782 M903 M910 P220 P863 Q220 Q224 R023
 02 A111 A119 A212 A220 A960 B515 B702 B713 B720 B815 B833 C710 G037 G563 M280 M320 M411 M510 M520 M530 M541 M630 M782 M903 P220 P863 Q220 Q224 R023
 03 A111 A119 A212 A220 A960 C710 H401 H402 H405 H481 H482 H484 H721 J0 J011 J012 J013 J1 J171 J172 J173 L814 L821 L832 M210 M211 M262 M280 M281 M312 M313 M315 M320 M321 M331 M332 M340 M342 M343 M344 M349 M381 M382 M391 M411 M416 M510 M520 M530 M540 M620 M630 M782 M903 P220 P863 Q220 Q224 R023
 04 A111 A119 A212 A220 A940 C710 F012 F013 F014 F015 F113 H4 H403 H421 H482 H8 J5 J522 K0 L8 L818 L821 L832 L9 L942 L960 M280 M312 M321 M332 M343 M373 M391 M411 M413 M510 M521 M530 M540 M630 M782 M903 P220 P863 Q220 Q224 R023
 05 A111 A119 A212 A220 A940 B115 B701 B702 B713 B720 B815 B831 B832 B833 C101 C108 C800 C802 C803 C804 C805 C807 M411 M782 M903 P220 P863 Q220 Q224 R023
 06 A111 A119 A212 A220 A940 C101 C108 C307 C316 C510 C540 C730 C800 C801 C802 C803 C804 C805 C807 M411 M782 M903 P220 P863 Q220 Q224 R023
 07 A111 A119 A212 A220 A940 C017 C100 C101 C730 C800 C801 C803 C804 C805 C806 C807 M411 M782 M903 P220 P863 Q220 Q224 R023

Derwent Registry Numbers: 0009-U; 0035-U; 0233-U; 0245-U; 0247-U; 0419-U; 0502-U; 0540-U; 0900-U; 0902-U; 1080-U; 1081-U; 1327-U; 1598-U; 1656-U; 1704-U; 1711-U; 1714-U; 1724-U; 1733-U; 1756-U

(Dialog® File 351):

4/19/3

001365137

WPI Acc No: 1975-14770W/197509

Fungicides for treatment of plants or wood - contg. a natural
or synthetic phenol

Patent Assignee: L L DELPECH (DELP-I)

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No	Kind	Date	Applicat No	Kind	Date	Week
FR 2228434	A	19750110				197509 B

Priority Applications (No Type Date): FR 7318016 A 19730508

Abstract (Basic): FR 2228434 A

A 'polyphenol' selected from e.g. (a) phenol acids and benzoic acids, such as p-hydroxy benzoic, protocatechuic, vanillic, gallic, syringic, salicylic and gentisic acids, and their salts, (b) cinnamic acids, such as coumaric, caffeic and ferulic acids, and (c) flavonoids (flavone-3-ols and flavone-3, 4-diols); and formulated as a liq. emulsifiable liq., wettable powder or dry powder contg. conventional adjuvant is applied to vegetable material to control fungal attack on wood, leaves, fruit and seeds, and is esp. for use on vines. This fungicide has low toxicity.

Title Terms: FUNGICIDE; TREAT; PLANT; WOOD; CONTAIN; NATURAL; SYNTHETIC;
PHENOL

Derwent Class: C03

International Patent Class (Additional): A01N-013/00

File Segment: CPI

Manual Codes (CPI/A-N): C04-A07F; C04-C03D; C06-A01; C10-C03; C10-F02; C12-A02

Chemical Fragment Codes (M1):

01 V400 V741 V406 K431 K432 M630 P002 P241 P242 M781 R003 M423 M902

Chemical Fragment Codes (M2):

02 H4 M123 M113 M126 M116 M129 M119 M141 M135 M136 M139 M149 M282 M210
M211 M212 M231 M270 M281 M311 M312 M332 M321 M320 M280 M342 M370 M391
D120 F123 G100 M533 M532 M531 L810 J131 J171 H401 H421 H441 H422 H423
H424 H442 H443 H444 J521 J581 J522 J231 J232 J221 J222 H521 H522 H541
H542 H602 H608 H721 M630 P002 P241 P242 M510 M511 M520 M521 M540 M781
R003 M412 M413 M414 M902

(Dialog® File 351):